SCHUKO RUBBER PLUGS AND CONNECTORS



2-pole + 🕀, 16 A 250 V, acc. to DIN 49440/441 and IEC 60884, for connection of cables up to 3 x 1.5 mm²



RUBBER PLUG

with twin earthing system (German and French / Belgian standards) splash-proof IP44 ®

COLOUR	ARTICLE	WEIGHT	PACK.
	NO.	G/EACH	UNIT

black	1419190	64	20
orange	1419170	64	20
red	1419140	64	20



RUBBER CONNECTOR

COLOUR	ARTICLE	WEIGHT	PACK.
	NO.	G/EACH	UNIT

black	1479090	117	10
orange	1479070	117	10
red	1479040	117	10

SCHUKO SOLID RUBBER PLUGS AND CONNECTORS

2-pole + 🖶, 16 A 250 V, acc. to DIN 49440/441 and IEC 60884, for connection of cables up to 3 x 1.5 mm²





SOLID RUBBER PLUG

splash-proof IP44

COLOUR	ARTICLE NO.	WEIGHT G/EACH	PACK. UNIT
black	1429190	72	20



SOLID RUBBER CONNECTOR

COLOUR	ARTICLE NO.	WEIGHT G/EACH	PACK. UNIT

black 1489090 125	10
--------------------------	----



SOLID RUBBER PLUG

COLOUR	ARTICLE	WEIGHT	PACK.
	NO.	G/EACH	UNIT

black	1439190	105	20

SCHUKO RUBBER PLUGS AND CONNECTORS



2-pole + 🖨, 16 A 250 V, acc. to DIN 49440/441 and IEC 60884, for connection of cables up to 3 x 2.5 mm²



RUBBER PLUG

with twin earthing system (German and French / Belgian standards) splash-proof IP44 �

COLOUR	ARTICLE NO.	WEIGHT G/EACH	PACK. UNIT
black	1149190	86	20



RUBBER CONNECTOR

(can also be retrofitted with hinged lid article no. 8987296)

COLOUR	ARTICLE NO.	WEIGHT G/EACH	PACK. UNIT
black	1199090	104	10



RUBBER CONNECTOR

with collar/cover splash-proof IP44 �

COLOUR	ARTICLE	WEIGHT	PACK.
	NO.	G/EACH	UNIT
la la alla	1100200	400	10

black **1199290** 137 10

SCHUKO SOLID RUBBER PLUGS AND CONNECTORS



2-pole + \oplus , 16 A 250 V, acc. to DIN 49440/441 and IEC 60884, for connection of cables up to 3 x 2.5 mm²



SOLID RUBBER PLUG

with twin earthing system (German and French / Belgian standards) splash-proof IP44 �

COLOUR	ARTICLE NO.	WEIGHT G/EACH	PACK. UNIT
black	1149290	99	20



SOLID RUBBER CONNECTOR

(can also be retrofitted with hinged lid article no. 8987296)

	COLOUR	ARTICLE No.	WEIGHT G/EACH	PACK. UNIT
·				
	black	1169090	119	10



SOLID RUBBER CONNECTOR

with collar/cover splash-proof IP44 �

COLOUR ARTICLE WEIGHT PAINO. G/EACH UN

block 1160200 175 10				
Dlack 1109290 175 10	black	1169290	175	10

SCHUKO SOLID RUBBER PLUGS AND CONNECTORS



2-pole + 🕀, 16 A 250 V, acc. to DIN 49440/441 and IEC 60884, for connection of cables up to 3 x 2.5 mm²



SOLID RUBBER PLUG WITH METAL QUICK RELEASE

with Twin Earthing System (German and French / Belgian standards) splash-proof IP44 🕏

COLOUR ARTICLE NO.	WEIGHT G/EACH	PACK. UNIT
--------------------	------------------	---------------

black 1129190 106 20



SOLID RUBBER CONNECTOR WITH QUICK RELEASE **FASTENER**

(can be retrofitted with hinged lid Art.-No. 8987296)

COLOUR ARTICLE NO.	WEIGHT G/EACH	PACK. UNIT
--------------------	------------------	---------------

black	1189090	137	10



Hinged lid 8987296

Collar

with cover 8975609

COLLAR WITH COVER OR HINGED LID

Can be retrofitted for simple connectors 2.5 mm², black splash-proof IP44 for Art.-No. 1199090, 1169090 and 1189090

COLOUR ARTICLE	WEIGHT G/EACH	PACK. UNIT
----------------	------------------	---------------

black	8975609	25	1
black	8987296	25	1



SOLID RUBBER CONNECTOR WITH QUICK RELEASE **FASTENER**

with collar/cover splash-proof IP44 �

COLOUR ARTICLE NO.	WEIGHT G/EACH	PACK. UNIT
--------------------	------------------	---------------

black	1189290	175	10
-------	---------	-----	----

SCHUKO THREE-WAY SOLID RUBBER CONNECTOR

2-pole + \oplus , 16 A 250 V, acc. to DIN 49440/441, for connection of cables up to 3 x 2.5 mm²





THREE-WAY SOLID RUBBER CONNECTOR

COLOUR	ARTICLE NO.	WEIGHT G/EACH	PACK. UNIT
black	1473190	368	5

RUBBER CONNECTORS (BELGIAN / FRENCH EARTH)*

complies with Belgian (NBN C61-112) and French (NF C61-314) standards



RUBBER CONNECTOR

 $3 \times 1.5 \text{ mm}^2$

COLOUR	ARTICLE NO.	WEIGHT G/EACH	PACK. UNIT
black	1479091	117	10



RUBBER CONNECTOR

 $3 \times 1.5 \text{ mm}^2$ splash-proof IP44

COLOUR	ARTICLE NO.	WEIGHT G/EACH	PACK. UNIT
black	1479291	166	10



RUBBER CONNECTOR WITH CHILD PROTECTION

3 x 1.5 mm²

COLOUR	ARTICLE NO.	WEIGHT G/EACH	PACK. UNIT
black	1479092	117	10



RUBBER CONNECTOR WITH CHILD PROTECTION

3 x 1.5 mm² splash-proof IP44

COLOUR	ARTICLE NO.	WEIGHT G/EACH	PACK. UNIT
black	1479292	166	10



RUBBER CONNECTOR WITH CHILD PROTECTION

 $3 \times 2.5 \text{ mm}^2$

COLOUR	ARTICLE NO.	WEIGHT G/EACH	PACK. UNIT
black	1199392	122	10



RUBBER CONNECTOR WITH CHILD PROTECTION

 $3 \times 2.5 \text{ mm}^2$ splash-proof IP44

COLOUR	ARTICLE NO.	WEIGHT G/EACH	PACK. UNIT
black	1199592	170	10



COLLAR WITH COVER

for article with Belgian / French earth for upgrading for simple connectors splash-proof IP44

COLOUR ARTICLE WEIGHT PACK. NO. G/EACH UNIT

black 8975629

THREE-WAY SOLID RUBBER CONNECTOR (BELGIAN / FRENCH EARTH)

complies with Belgian (NBN C61-112) and French (NF C61-314) standards



THREE-WAY SOLID RUBBER CONNECTOR

 $3 \times 2.5 \text{ mm}^2$

COLOUR	ARTICLE NO.	WEIGHT G/EACH	PACK. UNIT
black	1473092	368	5



THREE-WAY SOLID RUBBER CONNECTOR

3 x 2.5 mm² splash-proof IP44

COLOUR	ARTICLE NO.	WEIGHT G/EACH	PACK. UNIT
black	1473292	486	5



THREE-WAY SOLID RUBBER **CONNECTOR WITH HIGHER** PROTECTION COVER

3 x 2.5 mm² splash-proof IP44

COLOUR	ARTICLE NO.	WEIGHT G/EACH	PACK. UNIT
black	1473592	489	5



THREE-WAY SOLID RUBBER **CONNECTOR WITH SELF-CLOSING HINGED COVER AND HIGHER PROTECTION COVER**

3 x 2.5 mm² splash-proof IP44

COLOUR	ARTICLE NO.	WEIGHT G/EACH	PACK. UNIT
black	1473597	486	5

PVC CONNECTOR (BELGIAN / FRENCH EARTH)*

complies with Belgian (NBN C61-112) and French (NF C61-314) standards



CONNECTOR WITH SHUTTER

3 x 1.5 mm²

COLOUR	ARTICLE NO.	WEIGHT G/EACH	PACK. UNIT

grey	1679062	83	10
white	1679082	83	10
black	1679002	83	10