

SCHUKO CLASSIC PLUGS AND CONNECTORS

2-pole + ⊕, 16 A 250 V, DIN/VDE 0620 and IEC 60884 · for wires up to bis 3 x 2,5 mm²



SOLID RUBBER PLUG

with metal quick release
with twin earthing system
SCHUKO and
French/Belgian standard
splash-proof IP44 · ⚡

COLOUR	ITEM NO.	WEIGHT g/EACH	PU
black	1129190	106	20



SOLID RUBBER CONNECTOR

with quick release fastener

COLOUR	ITEM NO.	WEIGHT g/EACH	PU
black	1189090	137	10



SOLID RUBBER CONNECTOR

with quick release fastener
with collar/cover
splash-proof IP44 · ⚡

COLOUR	ITEM NO.	WEIGHT g/EACH	PU
black	1189290	175	10

SCHUKO CLASSIC THREE-WAY CONNECTOR

2-pole + ⊕, 16 A 250 V, according to DIN/VDE 0620,
for wires up to bis 3 x 2,5 mm²



THREE-WAY SOLID RUBBER CONNECTOR

COLOUR	ITEM NO.	WEIGHT g/EACH	PU
black	1473190	368	5

SCHUKO CLASSIC

PLUGS AND CONNECTORS

2-pole + ⊕, 16 A 250 V, acc. to DIN/VDE 0620 and IEC 60884 · for wires up to bis 3 x 2,5 mm²



SOLID RUBBER PLUG

with twin earthing system
SCHUKO and
French/Belgian standard
splash-proof IP44 · ⚡

COLOUR	ITEM NO.	WEIGHT g / EACH	PU
black	1149290	99	20



SOLID RUBBER CONNECTOR

COLOUR	ITEM NO.	WEIGHT g / EACH	PU
black	1169090	119	10



SOLID RUBBER CONNECTOR

with collar / cover
splash-proof IP44 · ⚡

COLOUR	ITEM NO.	WEIGHT g / EACH	PU
black	1169290	175	10

SCHUKO CLASSIC

PLUGS AND CONNECTORS

2-pole + ⊕, 16 A 250 V, acc. to DIN/VDE 0620 and IEC 60884 · for wires up to bis 3 x 2,5 mm²



RUBBER PLUG

with twin earthing system
SCHUKO and
French/Belgian standard
splash-proof IP44 · ⚡

COLOUR	ITEM NO.	WEIGHT g / EACH	PU
black	1149190	86	20



RUBBER CONNECTOR

COLOUR	ITEM NO.	WEIGHT g / EACH	PU
black	1199090	104	10



RUBBER CONNECTOR

with collar/cover
splash-proof IP44 · ⚡

COLOUR	ITEM NO.	WEIGHT g / EACH	PU
black	1199290	137	10

SCHUKO CLASSIC

PLUGS AND CONNECTORS

2-pole + ⊕, 16 A 250 V, acc. to DIN/VDE 0620 and IEC 60884 · for wires up to bis 3 x 1,5 mm²



SOLID RUBBER PLUG

splash-proof IP44

COLOUR	ITEM NO.	WEIGHT g/EACH	PU
black	1429190	72	20



SOLID RUBBER CONNECTOR

COLOUR	ITEM NO.	WEIGHT g/EACH	PU
black	1489090	125	10

SCHUKO CLASSIC

PLUGS AND CONNECTORS

2-pole + ⊕, 16 A 250 V, acc. to DIN/VDE 0620 and IEC 60884 · for wires up to bis 3 x 1,5 mm²



RUBBER PLUG

with twin earthing system
SCHUKO and
French/Belgian standard
splash-proof IP44 · ⚡

COLOUR	ITEM NO.	WEIGHT g/EACH	PU
black	1419190	64	20
orange	1419170	64	20
red	1419140	64	20



RUBBER CONNECTOR

COLOUR	ITEM NO.	WEIGHT g/EACH	PU
black	1479090	117	10
orange	1479070	117	10
red	1479040	117	10