


SCHUKO HIGHTECH PLUGS

2-pole + \oplus , 16 A 250 V, DIN/VDE 0620 and IEC 60884 · for wires up to bis 3 x 2,5 mm² splash-proof IP44 ·  · 



ELAMID PLUG

with twin earthing system
SCHUKO and
French/Belgian standard

COLOUR	ITEM NO.	WEIGHT g/EACH	PU
blue	1519150	78	10



ELAMID PLUG

with twin earthing system
SCHUKO and
French/Belgian standard

COLOUR	ITEM NO.	WEIGHT g/EACH	PU
red	1519140	78	10



ELAMID PLUG

with twin earthing system
SCHUKO and
French/Belgian standard

COLOUR	ITEM NO.	WEIGHT g/EACH	PU
black	1519100	78	10



ELAMID CONNECTOR

COLOUR	ITEM NO.	WEIGHT g/EACH	PU
blue	1579150	75	10

with shutter

COLOUR	ITEM NO.	WEIGHT g/EACH	PU
blue	1579050	75	10



ELAMID CONNECTOR

with collar / cover
splash-proof IP44 · ⚡

COLOUR	ITEM NO.	WEIGHT g/EACH	PU
blue	1579350	98	10

with collar / cover
with shutter
splashproof IP44 · ⚡

COLOUR	ITEM NO.	WEIGHT g/EACH	PU
blue	1579250	98	10



ELAMID CONNECTOR

COLOUR	ITEM NO.	WEIGHT g/EACH	PU
red	1579140	75	10

with shutter

COLOUR	ITEM NO.	WEIGHT g/EACH	PU
red	1579040	75	10



ELAMID CONNECTOR

with collar / cover
splash-proof IP44 · ⚡

COLOUR	ITEM NO.	WEIGHT g/EACH	PU
red	1579340	98	10

with collar / cover
with shutter
splashproof IP44 · ⚡

COLOUR	ITEM NO.	WEIGHT g/EACH	PU
red	1579240	98	10



ELAMID CONNECTOR

COLOUR	ITEM NO.	WEIGHT g/EACH	PU
black	1579100	75	10

with shutter

COLOUR	ITEM NO.	WEIGHT g/EACH	PU
black	1579000	75	10



ELAMID CONNECTOR


with collar / cover
splash-proof IP44 · ⚡

COLOUR	ITEM NO.	WEIGHT g/EACH	PU
black	1579300	98	10

with collar / cover
with shutter
splashproof IP44 · ⚡

COLOUR	ITEM NO.	WEIGHT g/EACH	PU
black	1579200	98	10

HIGHTECH PLUGS

2-pole + \oplus , 16 A 250 V, acc. to DIN/VDE 0620 and IEC 60884
for wires up to bis 3 x 2,5 mm² · splash-proof IP44 ·  **ELAMID**



ELAMID PLUG

with twin earthing system
SCHUKO and
French/Belgian standard

COLOUR	ITEM NO.	WEIGHT g/EACH	PU
blue	1519150	78	10



ELAMID PLUG

with twin earthing system
SCHUKO and
French/Belgian standard

COLOUR	ITEM NO.	WEIGHT g/EACH	PU
red	1519140	78	10



ELAMID PLUG

with twin earthing system
SCHUKO and
French/Belgian standard

COLOUR	ITEM NO.	WEIGHT g/EACH	PU
black	1519100	78	10



HIGHTECH CONNECTORS

2-pole + \oplus , 16 A 250 V, acc. to NF C61-314 French standard and NBN C61-112 Belgian standard · for wires up to bis 3 x 2,5 mm²



ELAMID CONNECTOR

with shutter

COLOUR	ITEM NO.	WEIGHT g/EACH	PU
blue	1579052	75	10



ELAMID CONNECTOR

with shutter
with collar and cover
splash-proof IP44 · \diamond

COLOUR	ITEM NO.	WEIGHT g/EACH	PU
blue	1579252	98	10



ELAMID CONNECTOR

with shutter

COLOUR	ITEM NO.	WEIGHT g/EACH	PU
red	1579042	75	10



ELAMID CONNECTOR

with shutter
with collar and cover
splash-proof IP44 · \diamond

COLOUR	ITEM NO.	WEIGHT g/EACH	PU
red	1579242	98	10



ELAMID CONNECTOR

with shutter

COLOUR	ITEM NO.	WEIGHT g/EACH	PU
black	1579002	75	10



ELAMID CONNECTOR

with shutter
with collar and cover
splash-proof IP44 · \diamond

COLOUR	ITEM NO.	WEIGHT g/EACH	PU
black	1579202	98	10